


# PRYME® CONNECTOR TABLE

Only the most popular connectors shown, but we do have others. If you don't see what you need, please call our office.


## BAOFENG



## BEARCOM



## EF JOHNSON



## HARRIS (MA/COM)



## HYT/HYTERA



## ICOM




## KENWOOD



## MOTOROLA



## NEXUS



## RELM



## SEPURA



## TAIT



## VERTEX



## WOUXUN



Pryme's own 6-pin QD™ (Quick Disconnect) Plug or Jack (depending on application) X05

Any audio accessory with a 2.5mm plug (right angle) X69

Any audio accessory with a 2.5mm plug (straight) X79

Any audio accessory with a 3.5mm plug (right angle) X89

Any audio accessory with a 3.5mm plug (straight) X99

**PRYME®**  
WWW.PRYME.COM

Radio accessories made right.  
Service made easy.

© 2017 PRYME Radio Products, Brea CA. All Rights Reserved












## CONNECTOR TABLE

### PRYME STOCKS A WIDE RANGE OF CONNECTORS TO FIT MANY RADIO MODELS











Because PRYME has made it possible for our audio accessories to interface with so many radio models, we have many connectors at your disposal. To help clarify as to what part number should be ordered of any given accessory model, we offer you this handy guide. For a more detailed explanation, please see pages 4-5.

1. FIND THE CONNECTOR REQUIRED FOR YOUR RADIO
2. PICK YOUR ACCESSORY TYPE
3. PLACE YOUR ORDER - EASY AS 1-2-3!









Example: Motorola GP300 Series = X03 connector SPM-2100 Trooper speaker mic for Motorola CP200 radio - YOU ORDER: Model SPM-2103

MANUFACTURER	RADIO MODELS	ADAPTER	STYLE	CONNECTOR
<b>BAOFENG RETEVIS</b>	UV-5, BF-888 H-777		TWO-PIN	<b>X01</b> 
<b>BAOFENG</b>	BF A58, BF-9700		MULTI PIN	<b>X33</b> 
<b>BEARCOM</b>	BC-250D / BC-130 / BC-95		TWO-PIN	<b>X03</b> 
<b>BEARCOM</b>	BC-1000			<b>X30S</b> 
<b>EF JOHNSON</b>	51 SLES Series, 5100 Series 511X, 512X, 514X, 518X Ascend ES Series Viking VP600 Series	MOTOROLA BDN6676	ONE-PIN THREADED	<b>X13 (M6)</b> 
<b>EF JOHNSON</b>	51 SLES Series, 5100 Series 511X, 512X, 514X, 518X Ascend ES Series Viking VP600 and VP900 Series		MULTI-PIN	<b>X23 (M5)</b> 
<b>HARRIS</b>	P7100/7200, LPH/DPH		MULTI-PIN	<b>X27</b> 
<b>HARRIS</b>	P530, P5400, PD7100, P7400 Unity XG-15, XG-25, XG-75		MULTI-PIN	<b>X37 (MC3)</b> 
<b>HARRIS</b>	Unity XG-100P		MULTI-PIN	<b>X47 (MC4)</b> 
<b>HARRIS</b>	HDP100, HDP150 (Momentum)		MULTI-PIN	<b>X55 (H5)</b> 
<b>HARRIS</b>	HDP250 (Momentum)		MULTI-PIN	<b>H8</b> 











# PRYME<sup>®</sup> CONNECTOR TABLE

MANUFACTURER	RADIO MODELS	ADAPTER	STYLE	CONNECTOR
				<b>X01 (K1)</b>
<b>HYT/HYTERA</b>	X01: TC-268/S, TC-270/S, TC-368/S, TC-370/S		TWO-PIN	
				<b>X03 (M1)</b>
<b>HYT/HYTERA</b>	TC-1600, TC-500, TC-600, PD5 Series, TC-518		TWO-PIN	
				<b>H3</b>
<b>HYT/HYTERA</b>	TC-508, TC-518, TC-580, TC-610, TC-620, TC-700/EX, PD502, PD562, PD-4xx Series		TWO-PIN	
				<b>X33 (M2)</b>
<b>HYT/HYTERA</b>	TC-980		MULTI-PIN	
				<b>X43 (M3)</b>
<b>HYT/HYTERA</b>	TC-3000, TC-3600, TC-610P, TC-700, TC-700P, TC-780, TC-790		MULTI-PIN	
				<b>X55 (H5)</b>
<b>HYT/HYTERA</b>	PD702/G, PD752, PD782/G, PD792, PT580H		MULTI-PIN	
				<b>X63 (M8)</b>
<b>HYT/HYTERA</b>	TC-310 Series		ONE-PIN	
				<b>H7</b>
<b>HYT/HYTERA</b>	TC-320		ONE-PIN	
				<b>with locking screw</b>
				<b>H8</b>
<b>HYT/HYTERA</b>	X1e, X1p, Z1p. PD6 Series		MULTI-PIN	
				<b>H9</b>
<b>HYT/HYTERA</b>	PD362, PD3 Series, BD302		ONE-PIN TWIST-LOCK	









## CONNECTOR TABLE

MANUFACTURER	RADIO MODELS	ADAPTER	STYLE	CONNECTOR
ICOM	IC-02AT, IC-03AT, IC-04AT, IC-2GAT, IC-2GXAT, IC-4008A, IC-4088A, IC-80AD, IC-91A, IC-91AD, IC-F3, IC-F3S, IC-F4, IC-F4S, IC-F4TR, IC-H16, IC-H2, IC-H6, IC-J12, IC-M5, IC-Q7A, IC-T22A, IC-T22E, IC-T42A, IC-T42E, IC-T7H, IC-T90, IC-TH7H, IC-U12, IC-U16, IC-W32A		TWO-PIN	X00 (I1/S1) 
ICOM	IC-3GT, IC-F11, IC-F11S, IC-F21, IC-F21BR, IC-F21GM, IC-F21S, IC-F3011, IC-F3021, IC-F31, IC-F3G, IC-F3GS, IC-F4011, IC-F4021, IC-F43GS, IC-F43GT, IC-F43TR, IC-F4G, IC-F4GS, IC-F4GT, IC-U82, IC-V8, IC-V82, IC-51A		TWO-PIN	X30 (I2) 
ICOM	F33G, F-51, IC-3GT, IC-F14, IC-F21BR, IC-F21GM, IC-F24, IC-F3021, IC-F302IT/S, IC-F31, IC-F3GS, IC-F4021, IC-F402IT/S, IC-F43GS, IC-F43GT, IC-F43TR, IC-F4G, IC-F4GS, IC-F4GT, IC-V85, IC-F1000, IC-F2000, BC-100, IC-F3001, IC-F3002, IC-F3031, IC-F4001, IC-F4002, IC-F4031, IC-4101D, IC-4230		TWO-PIN	X30s (I3/S6) 
ICOM	F-61, IC-F3061T/S, IC-F30G, IC-F30GS, IC-F30GT, IC-F3161, IC-F31GS, IC-F31GT, IC-F4061T/S, IC-F40G, IC-F40GS, IC-F40GT, IC-F4161, IC-F4161, IC-F50, IC-F50V, IC-F60, IC-F60V, IC-F70, IC-F80, IC-M88		MULTI-PIN	X10 (I5) 
ICOM	IC-F9011 IC-F9021 IC-F4261 IC-F3261 IC-4263DT		MULTI-PIN	X20 (I6) 
KENWOOD	TH-22AT, TH-235A, TH-28A, TH-42AT, TH-48A, TH-77A, TH-78A, TH-D7A(G), TH-F6, TH-F6A, TH-G71A, TH-K2AT, TK-208, TK-2100, TK-2102, TK-2130, TK-2160, TK-2170, TK-220, TK-2200, TK-2200LP, TK-2212L, TK-2302VK, TK-240, TK-240D, TK-248, TK-250, TK-260, TK-260D, TK-260G, TK-270, TK-270G, TK-272G, TK-308, TK-3100, TK-3101, TK-3102, TK-3130, TK-3131, TK-3160, TK-3170, TK-3173, TK-320, TK-3200, TK-3200LP, TK-3212L, TK-3230, TK-3230XLS, TK-3302UK, TK-340, TK-340D, TK-348, TK-350, TK-353, TK-360, TK-360G, TK-370, TK-370G, TK-372G, TK-373, TK-430, TK-431, TK-2312, TK-3312		TWO-PIN	X01 (K1) 
KENWOOD	NX-200, NX-300, TK-190, TK-2140, TK-2180, TK-280, TK-290, TK-3140, TK-3148, TK-3180, TK-380, TK-385, TK-390, TK-480, TK-481, TK-5210, TK-5220, TK-5310, TK-5320, TK-5400 NX-5200/5300/5400		MULTI-PIN	X11 (K2) 
KENWOOD	PKT-23 ProTalk® LT		SINGLE-PIN	X21 (K3) 










# PRYME<sup>®</sup> CONNECTOR TABLE

MANUFACTURER	RADIO MODELS	ADAPTER	STYLE	CONNECTOR
<b>MOTOROLA</b>	<b>UPDATED FOR DIGITAL MODELS</b>			<b>X03 (M11)</b>
	AXU4100, AXV5100, BPR40, CLS1110, CLS1410, CLS1413, CLS1450C, CLS1453C, CP100, CP150, CP185, CP200, CP200D, CP88, CT125, CT150, CT250, CT450, CT450LS, DTR, DTR410, DTR550, DTR650, GP200, GP2000, GP300, GP308, GP68, GP88, GTI, GTX, LTS2000, P040, P080, P110, P1225, P1225LS, P200, P2000, PR400, RDK, RDU, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV, RDV2020, RDV2080D, RDV5100, SP10, SP21, SP50, VL50, XTN, XTN446, XTN500, XTN600, XU1100, XU2100, XU2600, XV1100, XV2100, XV2600		TWO-PIN	
<b>MOTOROLA</b>	GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200	PRYME PA-BDN6676 or MOTOROLA BDN6676	ONE-PIN THREADED	<b>X13 (M6)</b> 
<b>MOTOROLA</b>	GP900, GP9000, HT1000, MT1500, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTXLS, PRI500, X1500, XTS1500, XTS2000, XTS2500, XTS3000, XTS3500, XTS5000, GP1200		MULTI-PIN	<b>X23 (M5)</b> 
<b>MOTOROLA</b>	CBPRO, GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, GP960, HT1250, HT1250LS, HT1550, HT1550XLS, HT750, JT1000, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO7750, PRO9150, PTX700, PTX760, PTX780		MULTI-PIN	<b>X33 (M2)</b> 
<b>MOTOROLA</b>	EX500, EX600, EX600XLS, GL2000, GP328 PLUS, GP338 PLUS, GP344, GP388, PRO5151 Elite, EX560		MULTI-PIN	<b>X43 (M3)</b> 
<b>MOTOROLA</b>	EM1000, FR50, FR60, FV300, FV300R, FV700R, FV750R, MH230R, MJ270R, MR350R, MR355R, SPIRITGT, SPIRITGT Plus, SX600R, SX900R, T270, T280, T289, T5100, T5200, T5300, T5320, T5400, T5410, T5420, T5500, T5600, T5620, T5700, T5710, T5720, T5800, T5820, T5920, T5950, T6200, T6210, T6220, T6250, T6300, T6320, T6400, T6500, T7200, T7400, T8500, T8550, T9500XLR, T9550XLR, T9580R, T9680R, T9750R, TalkAbout		ONE-PIN	<b>X63 (M8)</b> 
<b>MOTOROLA</b>	Turbo APX1000, APX4000, APX6000, and APX7000 Series XPR6300, XPR6500, XPR6550, XPR6100, XPR6350, XPR6580, XPR7550, XPR7580, DP3400		MULTI-PIN	<b>X83 (M11)</b> 
<b>MOTOROLA</b>	CLP Series		ONE-PIN	<b>M7</b> 
<b>MOTOROLA</b>	MotoTRBO SL7550 and SL300 Series		ONE-PIN	<b>M8</b> 
<b>MOTOROLA</b>	MotoTRBO XPR 3300/3500 Series, E-Series		MULTI-PIN	<b>M11</b> 

# CONNECTOR TABLE

MANUFACTURER	RADIO MODELS	ADAPTER	STYLE	CONNECTOR
<b>NEXUS</b>	NEXUS Plug (4 conductor) Call for compatibility.		LARGE ONE-PIN	<b>NX4</b> 
				<b>NX5</b> 
<b>RELM</b>	RPU416 RPU4200 RPU499 RPV4200 RPV516 RPV599X		TWO-PIN	<b>X01 (K1)</b> 
				<b>X03 (M1)</b> 
<b>RELM</b>	RPU6500 RPV6500	PA-MLN4455	TWO-PIN	
	RPU3000A, RPU3600, RPU3600APLUS, RPU7500, RPV3000A, RPV3600APLUS, RPV7500, RPV7500			
<b>RELM</b>	RPU3000A, RPU3600, RPU3600APLUS, RPU7500, RPV3000A, RPV3600, RPV3600APLUS, RPV7500		MULTI-PIN	<b>X43 (M3)</b> 
<b>SEPURA</b>	STP9000 Series		MULTI-PIN	<b>SP3</b> 
<b>SEPURA</b>	SRP2000/3000, SRH3500/3800 BOTTOM CONNECTOR		MULTI-PIN	<b>SP4</b> 
<b>TAIT</b>	TP8110, TP8115, TP8120, TP8135, TP8140, TP9300, TP9400		MULTI-PIN	<b>T8</b> 

# PRYME<sup>®</sup> CONNECTOR TABLE

MANUFACTURER	RADIO MODELS	ADAPTER	STYLE	CONNECTOR
<b>VERTEX</b>	FT-10R, FT-250, FT-40R, FT-50R, FT-60R, VX-10, VX-110, VX-150, VX-1R, VX-2E, VX-2R, VX-300, VX-400, VX-5R, VXF-1		ONE-PIN	<b>X02 (Y1)</b> 
<b>VERTEX</b>	VX-530 VX-600 VX-800 VX-900		MULTI-PIN	<b>X12 (Y2)</b> 
<b>VERTEX</b>	VX-130, VX-131, VX-132, VX-160, VX-180, VX-210, VX-210A, VX-230, VX-231, VX-261, VX-350, VX-351, VX-354, VX-400, VX-410, VX-420, VX-427, VX-450, VX-454, VX-459, EVX-530		ONE-PIN	<b>X22s (Y4)</b> 
<b>VERTEX</b>	VX-820, VX-821, VX-824, VX-829, VX-871, VX-874, VX-879, VX-920, VX-921, VX-924, VX-929, VX-971, VX-974, VX-979, VX-P820, VX-P920, VXD-720		MULTI-PIN	<b>X32 (Y3)</b> 
<b>VERTEX</b>	VX-120, VX-127, VX-170, VX-177, VX-6R, VX-7R, EVX-S24		ONE-PIN	<b>X42</b> 
<b>WOUXUN, LINTON, PUXING</b>	KG-UV, DB Series LT-2188/3188/6188 PX-666/777/888/999 FD-268A/B, FO-278, FD-6288		TWO-PIN	<b>X01</b> 
Any audio accessory with a 2.5mm phone plug			RIGHT ANGLE 2.5mm	<b>X69</b> 
Any audio accessory with a 2.5mm phone plug			STRAIGHT 2.5mm	<b>X79</b> 
Any audio accessory with a 3.5mm phone plug			RIGHT ANGLE 3.5mm	<b>X89</b> 
Any audio accessory with a 3.5mm phone plug			STRAIGHT 3.5mm 2, 3, and 4 conductors	<b>X99</b> 